


| YEAR<br>20 <u>22</u><br>DATE | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.) |
|------------------------------|---------------------------|-------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|------------------------------|---------------------------|-------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

MAKE: Piper  
MODEL: 32R-301T  
S/N: 3257301  
REG. NO: N5361J  
WORK ORDER:  
1616-04-2022



### Rex Air Maintenance Center

304 Citation Point  
Naples, FL 34104  
Phone: 239-331-2569

DATE: 4/20/2022  
A/C TSN:  
HOBBS: 1767.9

### Airframe Entries

Re-sealed antenna's as required.... R&R new battery #1 Concorde P/N RG24-15M.... R&R battery terminal boot P/N MS25171-35

All work and inspections have been performed IAW applicable Maintenance Manuals and FAR's, and is found to be in Airworthy condition at this time.  
Pertinent details of service are on file at this facility under Work Order No. 1616-04-2022, Dated 4/20/2022.

DATE: 4/20/2022


SIGNED:

Travis Saladino, IA: 3146414

Work Order: 1616-04-2022

Printed by EBis 3 (datcomedia.com)

ENGINE MODEL:  
TIO-540-AH1A  
ENGINE S/N: L-11349-61A  
REG. NO: N5361J  
WORK ORDER:  
1616-04-2022



### Rex Air Maintenance Center

304 Citation Point  
Naples, FL 34104  
Phone: 239-331-2569

DATE: 4/20/2022  
A/C TSN:  
ENG TT:  
TSMOH:  
HOBBS: 1767.9

### Engine Entries

Performed oil change. Serviced oil w/11 QTS of 20w-50 and R&R oil filter CH48110-1.

All work and inspections have been performed IAW applicable Maintenance Manuals and FAR's, and is found to be in Airworthy condition at this time.  
Pertinent details of service are on file at this facility under Work Order No. 1616-04-2022, Dated 4/20/2022.

DATE: 4/20/2022

SIGNED:

Clint Cardullo, A&P: 4542696

Work Order: 1616-04-2022

Printed by EBis 3 (datcomedia.com)

YEAR  
20  
DATE

AR-850 ENC  
AND CALIBRA

Sarasota  
120 We  
Tail No  
Date : 8


The Aut  
was tes  
91.217.  
found to  
and/or c  
Aviation  
perform

| YEAR<br>20<br>DATE | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | <b>Description of Inspections, Tests, Repairs and Alterations</b><br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.) |
|--------------------|---------------------------|-------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|--------------------|---------------------------|-------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Naples Air Center, INC.  
 CRS XO4R655M  
 230 Aviation Drive North  
 Naples, Florida 34104  
**AIRFRAME LOG**

ACFT: N5361J WO: 14342 DATE: 05-17-2022 TACH: -- HOBBS: 1773.1

AR-850 ENCODER INOP, REMOVED AND REPLACED WITH NEW ENCODER P/N: SSD120-30N-RS232 S/N: SRN2259, INSTALLED  
 AND CALIBRATED IAW WITH TRANS-CAL INSTALLATION MANUAL 882189 REV.G. PERFORMED PITOT STATIC SYSTEM LEAK TEST  
 AND ENCODER TEST IAW FAR PART 43 APPENDIX E (A)(C).


  
 CEDRIC KAPPEYNE.

CRS # X04R655M Naples Air Center, Inc.

Sarasota Avionics Inc. Venice Airport (VNC)  
 120 West Airport Ave Venice FL 34285  
 Tail No,: N5361J Piper PA-32R-301T SN: 3257301  
 Date : 8/16/2022 Work Order: 13397



The Automatic pressure GAE12 (PN: 011-03080-00 / SN: 3T6024922) altitude reporting equipment  
 was tested and found to comply with App E of 14 CFR 43, and calibration is in compliance with 14 CFR  
 91.217. The transponder GTX345R (PN: 010-01217-06 / SN: 3EH042895) was tested, inspected and  
 found to comply with App F of 14 CFR 43 and 14 CFR 91.413. I certify all work done to the aircraft  
 and/or component identified above was done in accordance with current regulations of the Federal  
 Aviation Administration and was found approved for return to service with respect to the work  
 performed.



for Sarasota Avionics Inc. CRS S0QR632X

| YEAR<br>20<br>DATE | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of<br>Technician or Repair Facility. (See back pages for other specific entries.) |
|--------------------|---------------------------|-------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|--------------------|---------------------------|-------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Sarasota Avionics Inc. Venice Airport (VNC)  
 120 West Airport Ave Venice FL 34285  
 Tail No,: N5361J Piper PA-32R-301T SN: 3257301  
 Date : 8/16/2022 Work Order: 13397



Removed GNS430W (PN: 011-01060-40 / SN: 97109661), GNS530W (PN: 011-01064-40 / SN: 78405751), GMA340 (PN: 011-00401-10 / SN: 96261721), GTX327 (PN: 011-00490-00 / SN: 83710154), GDL82 (PN: 011-03946-40 / SN: 4PF004867), DME450 (PN: 690111-P / SN: 1C342) and CD Player (PN: 14001-30 / SN: 4570). Installed Garmin GTN650Xi (PN: 010-01999-01 / SN: 5FP006887) and GTN750Xi (PN: 010-02002-01 / SN: 5FR007260) with Flightstream 510 (PN: 010-01322-01 / SN: 402017904). All work was accomplished in accordance with installation manual 190-01007-C0 per STC SA02019SE-D. Installed Garmin GTX345R remote transponder (PN: 010-01217-06 / SN: 3EH042895) and GAE12 Encoder (PN: 011-03080-00 / SN: 3T6024922) in accordance with Garmin installation manual 190-00734-10 per STC SA01714WI. FAA form 337 submitted on this date. As minor alteration: Installed Garmin GMA345 Audio panel (PN: 010-01319-01 / SN: 3Z0013703) in accordance with installation manual 190-01878-02. Installed Stratus Power Pro USB charger (PN: 153010-000122 / SN: 002607) in accordance with manufacturer installation instructions. Aircraft weight and balance was updated to reflect changes. I certify all work done to the aircraft and/or component identified above was done in accordance with current regulations of the Federal Aviation Administration and was found approved for return to service with respect to the work performed.

for Sarasota Avionics Inc. CRS S0QR632X

| YEAR<br>20<br>DATE | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | <b>Description of Inspections, Tests, Repairs and Alterations</b><br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.) |
|--------------------|---------------------------|-------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|--------------------|---------------------------|-------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|


Sarasota Avionics Inc. Venice Airport (VNC)  
 120 West Airport Ave Venice FL 34285  
 Tail No,: N5361J Piper PA-32R-301T SN: 3257301  
 Date : 8/22/2022



Relocated CDI in pilot panel and installed new JPI EDM 830 6CYL unit SN: 45833 – all work was accomplished under JPI STC's STC SA2586NM and STC SA00432SE. Weight and balance updated. I certify all work done to the aircraft and/or component identified above was done in accordance with current regulations of the Federal Aviation Administration and was found approved for return to service with respect to the work performed.

Francisco L. Migenis A&P 3639889

MAKE: Piper  
 MODEL: 32R-301T  
 S/N: 3257301  
 REG. NO: N5361J  
 WORK ORDER:  
 1804-08-2022



### Rex Air Maintenance Center

304 Citation Point  
 Naples, FL 34104  
 Phone: 239-331-2569

DATE: 9/10/2022  
 A/C TSN:  
 HOBBS: 1791.1

### Airframe Entries

R&R battery RG24-15M, S/N 41240717

All work and inspections have been performed IAW applicable Maintenance Manuals and FAR's, and is found to be in Airworthy condition at this time.  
 Pertinent details of service are on file at this facility under Work Order No. 1804-08-2022, Dated 9/10/2022.

DATE: 9/10/2022

SIGNED:

Travis Saladino, IA: 3146414

Work Order: 1804-08-2022

Printed by EBis 3 (datcomedia.com)

YEAR  
20  
DATE

MAKE: Piper  
MODEL: 32R-301T  
S/N: 3257301  
REG. NO: N5361J  
WORK ORDER:  
1831-09-2022

REXAIR

### Rex Air Maintenance Center

304 Citation Point  
Naples, FL 34104  
Phone: 239-331-2569

DATE: 10/24/2022  
A/C TSN: 1791.1  
HOBBS: 1791.1

Alterations  
e Number of  
specific entries.)

### Airframe Entries

Airframe Annual inspection and all service items were performed IAW Piper PA-32R-301T Maintenance Manual and FAR 43, Appendix "D". I certify that this Airframe is found to be in airworthy condition at this time. ELT tested IAW FAR91.207(d).... R&R ELT battery P/N 452-0130, next due Aug/2025.... Installed Battery Minder charging connection from Battery to aux power location.... Adjusted brake line adel clamps on lft/rt MLG.... Installed lft aileron static wick.... Cleaned inside of lft/rt wing tip landing lights.... Overhauled lft MLG actuator with seal repair kit P/N 199-538A.... Adjusted gear warning to 14" of manifold.... Researched and C/W all applicable AD's at this time.... C/W AD 84-26-02 inspection of intake air filter, due 2240.6.

All work and inspections have been performed IAW applicable Maintenance Manuals and FAR's, and is found to be in Airworthy condition at this time. Pertinent details of service are on file at this facility under Work Order No. 1831-09-2022, Dated 10/24/2022.

DATE: 10/24/2022

SIGNED:

Travis Saladino, IA: 3146414

Work Order: 1831-09-2022

Printed by EBis 3 (datcomedia.com)

ENGINE MODEL:  
TIO-540-AH1A  
ENGINE S/N: L-11349-61A  
REG. NO: N5361J  
WORK ORDER:  
2188-04-2023

REXAIR

### Rex Air Maintenance Center

304 Citation Point  
Naples, FL 34104  
Phone: 239-331-2569

DATE: 4/13/2023  
A/C TSN: 1839.4  
ENG TT: 1839.4  
TSMOH:  
HOBBS: 1839.4

### Engine Entries

Performed oil change IAW Lycoming Maintenance Manual. Serviced oil w/ 11QTS of Phillips 20W-50. Oil filter removed, opened and inspected. Installed new oil filter AA48110-2.

All work and inspections have been performed IAW applicable Maintenance Manuals and FAR's, and is found to be in Airworthy condition at this time. Pertinent details of service are on file at this facility under Work Order No. 2188-04-2023, Dated 4/13/2023.

DATE: 4/13/2023

SIGNED:

Nadine Moyer, A&P: 4557893

Work Order: 2188-04-2023

Printed by EBis 3 (datcomedia.com)

YEAR  
20  
DATE

2358-08-2023 (09-07-2023)

MAKE: Piper  
MODEL: 32R-301T  
S/N: 3257301  
REG. NO.: N5361J

REXAIR

**Rex Air Maintenance Center**  
304 Citation Point  
Naples, FL 34104

W/O #: 2358-08-2023  
DATE: 09-07-2023  
A/C TT: 1852.1  
A/C Tach:

Page 1 / 1

### Airframe Entries

Airframe Annual inspection and all service items were performed IAW Piper PA 32R-301T Maintenance Manual and FAR 43, Appendix "D". I certify that this Airframe is found to be in airworthy condition at this time. ELT tested IAW FAR91.207(d), next due 8/2025.... Tightened ring clamps at rt wing fuel tank interconnection. ... Replaced missing screw in cowling nose.... R&R A/C compressor hose Adele clamp.... Replaced 6" Scat 12-3 lft top cowling hose connected to exhaust shroud.... Cleaned and overhauled shimmy dampener. ... R&R bad battery RG24-15M.... R&R landing gear hydraulic power pack. ... R&R cabin entry step non-skid tape... Researched all applicable AD's through 2023-17 and have found them to be in C/W status at this time.

All work and inspections have been performed IAW applicable Maintenance Manuals and FAR's, and is found to be in Airworthy condition at this time. Pertinent details of service are on file at this facility under Work Order No. 2358-08-2023, Dated 09-07-2023.

DATE: 09-07-2023

SIGNED:

Travis Saladino  
A&P or IA Number: AP3146414 IA

WORK ORDER: 2358-08-2023

Printed by EBIS (EBISCloud.com)

Page 1 / 1

3167-10-2024 (10-17-2024)

MAKE: Piper  
MODEL: 32R-301T  
S/N: 3257301  
REG. NO: N5361J

REXAIR

**Rex Air Maintenance Center**  
304 Citation Point  
Naples, FL 34104

W/O #: 3167-10-2024  
DATE: 10-17-2024  
A/C TT: 1907.1  
A/C Tach:

### Airframe Entries

Airframe Annual inspection and all service items were performed IAW Piper PA32R-301T Maintenance Manual and FAR 43, Appendix "D". I certify that this Airframe is found to be in airworthy condition at this time. ELT tested IAW FAR91.207(d), battery next due 8/2025... R&R lft/rt MLG tires... Bled brakes.... Cleaned, prepped and painted lft/rt gear down spring brackets.... Cleaned and lubed lft MLG locking assembly. ... R&R shimmy dampener eye bolt, lock nut and mounting hardware. Removed rust from shaft and painted.... Touched up wing-walk areas with non-slip paint... R&R fire extinguisher.... INOP'd Oxygen system per owners request. Installed placard above gauge and secured breaker for system.... R&R Vacuum relief filter... R&R 2' of SCAT-6 intake duct ventilation hose.... Researched all applicable AD's through 2024-20 and have found them to be in C/W status at this time.

All work and inspections have been performed IAW applicable Maintenance Manuals and FAR's, and is found to be in Airworthy condition at this time. Pertinent details of service are on file at this facility under Work Order No. 3167-10-2024, Dated 10-17-2024.

DATE: 10-17-2024

SIGNED:

Travis Saladino  
A&P or IA Number: AP3146414 IA

WORK ORDER: 3167-10-2024

Printed by EBIS (EBISCloud.com)

| YEAR<br>20<br>DATE | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)                                                                                                                                                                                                                                                   |
|--------------------|---------------------------|-------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                    |                           |                   |                             | <p>I CERTIFY THAT THE ALTIMETER, ENCODING SYSTEM AND STATIC SYSTEM TEST REQUIRED BY FAR 91.411 HAVE BEEN PERFORMED: THE ALTIMETER PILOTS S/N <u>425919</u><br/> COPILOTS S/N <u>428882</u>, ADC S/N <u>N/A</u><br/> WAS/WERE TESTED TO <u>20</u> K FT<br/> I CERTIFY THAT THE TRANSPONDER TEST REQUIRED BY FAR 91.413 HAS BEEN PERFORMED AND FOUND TO COMPLY<br/> XPDR #1 M/N <u>6TY 345</u> S/N <u>SEH042895</u><br/> XPDR #2 M/N <u>N/A</u> S/N <u>N/A</u></p> |

# ALTIMETER SCALE CORRECTIONS

| Altimeter Model <u>5934PO-3</u> |                  | SN <u>425919</u> |                  |
|---------------------------------|------------------|------------------|------------------|
| Altimeter Reads                 | Observed Reading | Altimeter Reads  | Observed Reading |
| -1000                           | -1000            | 12000            | 12000            |
| 0                               | 0                | 14000            | 14000            |
| 500                             | 500              | 16000            | 16010            |
| 1000                            | 1000             | 18000            | 18000            |
| 1500                            | 1510             | 20000            | 20000            |
| 2000                            | 2000             | 22000            | N/A              |
| 3000                            | 3000             | 25000            |                  |
| 4000                            | 4000             | 30000            |                  |
| 6000                            | 6000             | 35000            |                  |
| 8000                            | 8000             | 40000            |                  |
| 10000                           | 10000            | 45000            |                  |
|                                 |                  | 50000            |                  |

Tomlinson Avionics of Florida, Inc.  
521 Danley Drive  
Fort Myers, FL 33907  
Repair Station No. V6TR097X

SIGNATURE: [Signature] DATE 1/13/24  
**TOMLINSON AVIONICS OF FLORIDA INC.**  
521 DANLEY DR, FT. MYERS, FL. 33907  
FAA CRS # V6TR097X,

| YEAR<br>20<br>DATE | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.) |
|--------------------|---------------------------|-------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|--------------------|---------------------------|-------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

MAKE: Piper  
MODEL: PA-32R-301T  
S/N: 3257301  
REG. NO: N5361J  
WORK ORDER:  
BA-01070-07-2025

**Bartelt Aviation, Inc.**  
1301 West Lafayette Street  
Sturgis, MI 49091  
Phone: 269-651-5431

DATE: 8/20/2025  
A/C TSN: 1925.5  
HOBBS: 1925.5

# Airframe Entries

Removed Oxygen bottle Assy. Reinstalled Oxygen Bottle Assy p/n 895-24050, s/n 29747/946 after Hydrostatic Check and Regulator Overhaul. (See C & L Aero 8130-3 Form Tracking Number 25-15285 dated 11/Aug/2025) Next Hydrostatic test is due 08/2030. Bottle expires 12/2032. Serviced Oxygen per MM.  
Performed QC checks. No leaks noted.... Repaired defective speed brake wiring under panel. Speed brake ops check good at this time.... Installed new Alternator INOP Switch.... Tightened Pilot LEMO jack.... Cleaned and painted shimmy dampener components.... Installed new ELT battery p/n 452-0130 s/n 1020626-031.  
Battery Exp. Aug/2028.... Treated window shades with spray starch.... Painted wing walk satin black.... Installed new rocker switch covers for fuel pump p/n PS50200-034, LH Mag p/n PS50200-010 and RH Mag p/n PS50200-011.... Installed new Landing gear springs, (1ea) p/n 487-483, (1ea) p/n 487-487, (2ea) p/n 487-495, (2ea) p/n 687-924. Performed landing gear retraction tests and free fall tests.... Installed new Goodyear Flight Custom III Tires (2ea) p/n 606C86-6 s/n 22180019 on Left Wheel and s/n 22360037 on Right Wheel. Installed new Michelin tubes (2ea) p/n 092-500-0. Installed new Nose Tire Goodyear FC III p/n 505C66-5 s/n 13160121 and Michelin Tube p/n 092-908-0. CW 100hr Wheel Bearing cleaning, inspection, repacking.... Resealed nose strut per Piper MM.... Installed new nose steering limit placard p/n 35669-007.... Installed new Hartzell Propeller Placards (3ea) p/n 106947.... Tightened Stabilator hinge bearings.... Adjusted Rudder steering per Piper MM.... Installed new brake shims (2ea) p/n RA068-01100. Cleaned and Lubricated brake pins.... Installed new brake discs (2ea) p/n 164-21600 and brake linings (8ea) p/n 066-06200.... Installed new nose wheel bearings (2ea) p/n 08125-20629 and Races (2ea) p/n 08231-20629.... Replaced Center Cabin Floor foam supporting material with Divinycell H45 PVC Foam P/N 01-12400 using EL-319 Adhesive. Installed missing Center floor spacers p/n 95061-008 as needed.

# Maintenance Release

The aircraft and/or component(s) on N5361J was repaired and inspected in accordance with current FAR's rules of the Federal Aviation Regulations and was found Airworthy for return to service. Pertinent details of the repair are on file under Work Order No. BA-01070-07-2025, Dated 8/20/2025.

DATE: 8/20/2025

SIGNED: [Signature]

Work Order: BA-01070-07-2025

Devvyn Fader, IA 4226320

Printed by EBis 3 (datcomedia.com)